



SSL *Live Bundles*

Solid State Logic
OXFORD • ENGLAND

SSL Live Bundles

The SSL Live production platform has received widespread praise from many of the world's leading live sound engineers. Designed to consistently deliver an outstanding performance, SSL Live consoles, SuperAnalogue™ I/O and interfaces excel in the most demanding applications, providing engineers with the workflows, processing tools, and integration needed to push their productions to the next level, while elevating sound quality for the artist and audience.

The SSL Live production platform is extremely flexible, with an almost infinite number of system configurations available. To highlight some of the most common, SSL Live Bundles have been developed to provide complete systems for touring, installed sound, and church audio, in the most cost-effective way possible.

Whether you're looking to leverage SSL Live's exceptional Dante integration in a sophisticated installed sound setup or are considering a MADI-based bundle optimised for touring - **contact an SSL Live expert** to find out which bundle best suits your production requirements and budget.

SSL Live Bundles deliver:

- Legendary SSL sound quality and processing tools.
- SuperAnalogue™ Dante and MADI-based I/O options.
- Advanced routing and connectivity (including remote).
- Console + I/O Bundles suitable for all sizes of tour, event space and Church.



L650 MADI Tour Max Bundle

Bundle Includes:

SSL Live Console L650 with Blacklight II
MM Blacklight-MADI Concentrator
4 x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 312 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 128 Mic/Line in, 128 Line out, Split outputs
- *4 redundant BNC MADI left on BLII Concentrator



L650 MADI Tour Bundle

Bundle Includes:

SSL Live Console L650 with Blacklight II
MM Blacklight-MADI Concentrator
2 x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 312 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 64 Mic/Line in, 64 Line out, Split outputs
- *6 redundant BNC MADI left on BLII Concentrator



L650 Dante Tour Bundle

Bundle Includes:

SSL Live Console L650 with X-Light
Net I/O X-Light Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- Ruggedised high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 312 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz
- 1 x X-Light port (redundant) 256ch @ 96kHz

Expansion:

- 1 x X-Light Bridge (256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L650 Dante Install Bundle

Bundle Includes:

SSL Live Console L650 with Blacklight II
BL to Dante HC Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- SFP based high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 312 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x BLII Bridge (BLII to 256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L550 Plus MADI Tour Max Bundle

Bundle Includes:

SSL Live Console L550 Plus with Blacklight II
MM Blacklight-MADI Concentrator
4x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 288 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 32 Mic/Line in, 32 Line out
- 2x headphone out
- 8 pair AES I/O
- 12 x BNC & 4 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 128 Mic/Line in, 128 Line out, Split outputs
- *4 redundant BNC MADI left on BLII Concentrator



L550 Plus MADI Tour Bundle

Bundle Includes:

SSL Live Console L550 Plus with Blacklight II
MM Blacklight-MADI Concentrator
2x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 288 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 32 Mic/Line in, 32 Line out
- 2x headphone out
- 8 pair AES I/O
- 12 x BNC & 4 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 64 Mic/Line in, 64 Line out, Split outputs
- *6 redundant BNC MADI left on BLII Concentrator



L550 Plus Dante Tour Bundle

Bundle Includes:

SSL Live Console L550 Plus with X-Light
Net I/O X-Light Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- Ruggedised high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 288 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 32 Mic/Line in, 32 Line out
- 2x headphone out
- 8 pair AES I/O
- 12 x BNC & 4 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz
- 1 x X-Light port (redundant) 256ch @ 96kHz

Expansion:

- 1 x X-Light Bridge (256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L550 Plus Dante Install Bundle

Bundle Includes:

SSL Live Console L550 Plus with Blacklight II
BL to Dante HC Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (96 slots)
- Complete showfile compatibility across the range
- SFP based high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 288 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 48 VCAs
- Redundant PSU

Local IO:

- 32 Mic/Line in, 32 Line out
- 2x headphone out
- 8 pair AES I/O
- 12 x BNC & 4 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x BLII Bridge (BLII to 256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L450 MADI Tour Max Bundle

Bundle Includes:

SSL Live Console L450 with Blacklight II
MM Blacklight-MADI Concentrator
4x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (60 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 240 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 128 Mic/Line in, 128 Line out, Split outputs
- *4 redundant BNC MADI left on BLII Concentrator



L450 MADI Tour Bundle

Bundle Includes:

SSL Live Console L450 with Blacklight II
MM Blacklight-MADI Concentrator
2x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (60 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 240 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 64 Mic/Line in, 64 Line out, Split outputs
- *6 redundant BNC MADI left on BLII Concentrator



L450 Dante Tour Bundle

Bundle Includes:

SSL Live Console L450 with X-Light
Net I/O X-Light Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (60 slots)
- Complete showfile compatibility across the range
- Ruggedised high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 240 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz
- 1 x X-Light port (redundant) 256ch @ 96kHz

Expansion:

- 1 x X-Light Bridge (256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L450 Dante Install Bundle

Bundle Includes:

SSL Live Console L450 with Blacklight II
BL to Dante HC Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (60 slots)
- Complete showfile compatibility across the range
- SFP based high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 36 plus 2 faders
- 240 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x BLII Bridge (BLII to 256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L350 Plus MADI Tour Max Bundle

Bundle Includes:

SSL Live Console L350 Plus with Blacklight II
MM Blacklight-MADI Concentrator
4x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (48 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 24 plus 2 faders
- 216 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:


- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 128 Mic/Line in, 128 Line out, Split outputs
- *4 redundant BNC MADI left on BLII Concentrator



L350 Plus MADI Tour Bundle

Bundle Includes:

SSL Live Console L350 Plus with Blacklight II
MM Blacklight-MADI Concentrator
2x Stagebox 32 Mic/Line In, 32 Line out, & 32 Split Out

Key Features

- Onboard Effect Rack (48 slots)
- Complete showfile compatibility across the range
- Plug and play MADI I/O
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 24 plus 2 faders
- 216 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:

- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x MADI Blacklight II Concentrator with 8 redundant pairs of MADI BNC*

Remote I/O (bundle total):

- 64 Mic/Line in, 64 Line out, Split outputs
- *6 redundant BNC MADI left on BLII Concentrator



L350 Plus Dante Tour Bundle

Bundle Includes:

SSL Live Console L350 Plus with X-Light
Net I/O X-Light Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (48 slots)
- Complete showfile compatibility across the range
- Ruggedised high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 24 plus 2 faders
- 216 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:


- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz
- 1 x X-Light port (redundant) 256ch @ 96kHz

Expansion:

- 1 x X-Light Bridge (256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L350 Plus Dante Install Bundle

Bundle Includes:

SSL Live Console L350 Plus with Blacklight II
BL to Dante HC Bridge
2x Net I/O Stagebox SB32.24

Key Features

- Onboard Effect Rack (48 slots)
- Complete showfile compatibility across the range
- SFP based high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance
- SuperAnalogue™ Mic Pres

Specification

Console:

- 24 plus 2 faders
- 216 paths (channels & buses)
- 4x 32 in / 36 out matrix
- 36 VCAs
- Redundant PSU

Local IO:


- 16 Mic/Line in, 16 Line out
- 2x headphone out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x BLII Bridge (BLII to 256ch Dante I/O)*

Remote I/O (bundle total):

- 64 Mic/Line in, 32 Line out, 8 pair AES I/O
- *192 in, 208 out channels of additional Dante



L200 Plus MPL Dante Tour Bundle

Bundle Includes:

L200 Plus console with X-light
Net I/O X-Light Bridge
3x MPL 16-8 Stageboxes

Key Features

- Onboard Effect Rack (48 slots)
- Complete showfile compatibility across the range
- Ruggedised high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance



Specification

Console:

- 36 plus 2 faders
- 144 paths (channels & buses)
- 4x 32 in / 24 out matrix
- 24 VCAs
- Redundant PSU

Local IO:

- 12 Mic/Line in, 12 Line out
- 2x TB in, 2x HP out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x X-Light port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x X-Light Bridge (256ch Dante I/O)*

Remote I/O (bundle total):

- 48 Mic/Line in, 24 Line out

L200 Plus MPL Dante Install Bundle

Bundle Includes:

L200 Plus console with Blacklight II
BL to Dante HC Bridge
3x MPL 16-8 Stageboxes

Key Features

- Onboard Effect Rack (48 slots)
- Complete showfile compatibility across the range
- SFP based high-capacity Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance



Specification

Console:

- 36 plus 2 faders
- 144 paths (channels & buses)
- 4x 32 in / 24 out matrix
- 24 VCAs
- Redundant PSU

Local IO:

- 12 Mic/Line in, 12 Line out
- 2x TB in, 2x HP out
- 4 pair AES I/O
- 6 x BNC & 2 x SC fibre MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Expansion:

- 1 x BLII Bridge (BLII to 256ch Dante I/O)*

Remote I/O (bundle total):

- 48 Mic/Line in, 24 Line out

L100 Plus MPL Dante Bundle

Bundle Includes:

L100 Plus console with Blacklight II
2x MPL 16-8 Stageboxes

Key Features

- Onboard Effect Rack (48 slots)
- Complete showfile compatibility across the range
- Dante I/O with full Dante routing from console software
- Comprehensive Immersive audio OSC integration
- Live remote control from SOLSA PC app and TaCo iPad app
- SSL's ultimate sonic performance



Specification

Console:

- 12 plus 2 faders
- 128 paths (channels & buses)
- 4x 32 in / 12 out matrix
- 12 VCAs
- Redundant PSU

Local IO:

- 12 Mic/Line in, 12 Line out
- 2x TB in, 2x HP out
- 4 pair AES I/O
- 4 x BNC MADI ports
- 1 x MADI FX loop
- 1 x Live Dante Expander (SRC) 32ch @ 96 kHz
- 1 x Blacklight II port (redundant) 256ch @ 96 kHz

Remote I/O (bundle total):

- 32 Mic/Line in, 16 Line out

SSL Live - Superior Sonic Performance

Tailored SSL Live bundles provide a complete system for touring or installations, specified to match the most common system requirements and offer cost-effective solutions. SSL Live's flexible and user-friendly I/O management software allows seamless movement of stageboxes between consoles, automatically managed within the showfiles. These bundle options can either remain complete and self-contained or be expanded with additional I/O, consoles, or remote fader tiles for custom configurations.

With 100% hardware and software showfile compatibility across the entire SSL Live range, offline conversion is a thing of the past. Compatibility mode ensures showfile changes made on smaller consoles are retained when working on a larger console. Whether using SSL MADI stageboxes with their plug-and-play simplicity or the highly flexible and fully interoperable Dante I/O, all I/O possibilities are covered. With unparalleled Dante routing fully incorporated into the console software, patching becomes part of the showfile, with all routing and patching performed from the same user interface. Dante devices can be configured and patched on the console even when offline, and the same feature exists in the console offline editor software, SOLSA, for full show preparation.

All control surface options position everything within reach, designed for speed of operation, with continuity and predictability across the range. The deceptively simple ergonomic design, combining multi-touch and multi-gesture screen control with assignable hardware controls and color coding, sets the control surface apart by providing intuitive and efficient operation for engineers. The open architecture allows operators to configure the console layout to suit their own workflow. The extensive array of processing options, coupled with the precision and depth of these tools, enables mixers to achieve their desired sound quickly and efficiently. Like all great creative audio technology, SSL Live consoles are true instruments for engineers.



SSL Live - Superior Sonic Performance

SSL Live console software includes extensive tools to reduce the need for additional devices and features specifically designed to make mixing quicker and more enjoyable. Four onboard signal switches provide simple recovery and failover for playback machines. A multi-group flexibly switched record rehearsal system takes virtual sound check or pre-production rehearsals to the next level. A dual solo bus to triple solo output path matrix, plus several additional solo modes, provides unparalleled solo options. A unique query function can both spill contributing channels to the bus or show what buses a channel path is feeding, immediately providing the operator with a visual indication and direct control of signal flow through the whole desk. Combined with automatic flip and solo functions, mixing and soloing a specific wedge or in-ear can be a single query button push away. Scene automation provides snapshot functionality with store and recall filtering, plus fade times for all faders and processing controls. Extensive immersive audio integration is provided through dedicated OSC implementations and panning UIs, accessible via the large touchscreen and hardware controls. SSL's SuperAnalogue™ stagebox mic preamps ensure the front end faithfully represents the source on stage, and 64-bit floating point processing in SSL's Tempest engine ensures mixing and processing is precise and open. SSL EQ, Gate, Compressor, Delay, and all-pass filter on all channels and buses are enhanced by a comprehensive onboard effects rack, delivering the ultimate sonic performance your show deserves in one complete, integrated bundle.



Solid State Logic

O X F O R D • E N G L A N D

Superior Sonic Performance

Solid State Logic       

International HQ: Begbroke, Oxford, England OX5 1RU · Tel +44 (0)1865 842300 · sales@solidstatellogic.com

Los Angeles: Tel +1 213 249 9229 · lasales@solidstatellogic.com

New York: Tel +1 212 315 1111 · nysales@solidstatellogic.com

© Solid State Logic. All Rights reserved under International and Pan-American Copyright Conventions. Solid State Logic and SSL are trademarks of Solid State Logic. All other trademarks are the property of their respective owners. No part of this publication may be reproduced in any form or by any means, whether mechanical or electronic, without the written permission of Solid State Logic, Oxford, England. Solid State Logic has a policy of continual product enhancement and reserves the right to alter specifications without notice. E&OE